

## Certificates for Derek Tipps

### Basic Information

<b>First Name</b>	Derek
<b>Last Name</b>	Tipps
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
MTGL	Isaac Chun	7742 Arjons Dr, San Diego, CA 92126	11	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 28 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-07-22	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2020-03-21	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2024-07-22	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-03-16	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-07-22	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-12-15	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-12-15	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-08-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-08-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2017-04-01	Expired	Roy(Chip) Denner	(No lab)	Created based on CT521 certificate ID35880

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2017-04-01	Expired	Roy(Chip) Denner	(No lab)	Created based on CT521 certificate ID35880
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-08-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2018-03-16	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-08-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-08-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-08-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-08-11	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2028-08-11	Active	Avinash Ralla	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy