

## Certificates for Jason Barron

### Basic Information

<b>First Name</b>	Jason
<b>Last Name</b>	Barron
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Twining Laboratories	Ryan Powney	15950 Bernardo Center Drive, Suite J, San Diego, CA 92127	11	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-06-23	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-06-23	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-08-21	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2021-08-21	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-02-24	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-12-09	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-12-09	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2022-12-09	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					