

## Certificates for David Walker

### Basic Information

<b>First Name</b>	David
<b>Last Name</b>	Walker
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
martin marietta	David Walker	12560 CA-67, Lakeside, CA 92040	11	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-01-23	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2022-12-06	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-11-06	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2022-12-06	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-01-23	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2022-12-06	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-03-19	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-01-03	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-02-21	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2022-12-06	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2022-12-06	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 211 LA Rattler	2022-12-06	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-01-03	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-01-23	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2023-03-01	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2023-03-01	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-08-03	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2019-08-03	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 366 Stabilometer	2023-03-01	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2019-08-03	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2020-01-23	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 389 Hamburg Wheel-Track	2023-03-01	Active	Roy(Chip) Denner	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 3 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T283 Moisture Induced Damage (TSR)	2022-12-06	Active	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2022-12-06	Active	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2022-12-06	Active	Roy(Chip) Denner	Lab 1	(No comments)