

Certificates for David Walker

Basic Information

First Name	David
Last Name	Walker
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
Martin Marietta	David Walker	12560 CA-67, Lakeside, CA 92040	11	Lab 1
Martin Marietta Slaughterhouse Lab	David Walker	12535 Vigilante Road, Lakeside, CA 92040	11	Lab 2

Test Methods

California Test (CT) Certifications

Total **30** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-03-10	Active	David Medina	Lab 1	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2025-08-21	Active	Roy(Chip) Denner	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES	2022-12-06	Expired	Roy(Chip) Denner	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-04-02	Active	Roy(Chip) Denner	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2022-12-06	Expired	Roy(Chip) Denner	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA	2022-12-06	Expired	Roy(Chip) Denner	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2025-11-30	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2025-11-30	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 211 LA Rattler	2025-11-30	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 235 Flat and Elongated Particles	2025-03-14	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2025-03-14	Active	Roy(Chip) Denner	Lab 1, Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2025-03-14	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2025-03-14	Active	Roy(Chip) Denner	Lab 1, Lab 2	(No comments)
CT 366 Stabilometer	2023-03-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 367 OBC	2024-09-07	Active	Roy(Chip) Denner	Lab 1, Lab 2	(No comments)
CT 370 Moisture Content by Microwave	2025-11-30	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2025-03-14	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2025-11-30	Active	Roy(Chip) Denner	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 384 Combined Grade for HMA using up to 25% RAP	2024-09-07	Active	Roy(Chip) Denner	Lab 1, Lab 2	(No comments)
CT 389 Hamburg Wheel-Track	2025-11-30	Active	Roy(Chip) Denner	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T30 Mechanical Analysis of Extracted Aggregate	2025-04-02	Active	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-09-14	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-09-14	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-09-14	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-09-14	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2025-11-30	Active	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-09-14	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T312 Gyratory Compactor	2025-01-31	Active	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2025-11-30	Active	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	Lab 1	(No comments)