

Certificates for Rebecca Voss

Basic Information

First Name	Rebecca
Last Name	Voss
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Caltrans District 11 - KM	Dave M Cortez	7177 Opportunity Road, San Diego, CA 92110	11	Lab 1

Test Methods

California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-05-31	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Brandt Houchen	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-05-31	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-05-31	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-07-19	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-07-19	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-07-19	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-10-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-10-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 211 LA Rattler	2021-11-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-07-19	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-07-19	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-07-19	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-07-19	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-07-19	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2021-10-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2021-10-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2021-11-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-11-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2021-11-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 371 Moisture Induced Damage (TSR)	2021-10-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2021-02-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-05-31	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-05-31	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-05-31	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-05-31	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2021-11-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2021-11-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2020-06-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-08-29	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-05-31	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-08-29	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-05-31	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-08-29	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-08-29	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2021-10-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2021-11-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-08-29	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2021-10-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2021-10-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-05-31	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-05-31	Active	Shaya Meisamifard	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2021-10-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)