

Certificates for Rick Chavez

Basic Information

First Name	Rick
Last Name	Chavez
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D11 - Construction		, , CA	11	Lab 1

Test Methods

California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Roy(Chip) Denner	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-02-09	Expired	Timothy Rico	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-02-09	Expired	Timothy Rico	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-07-24	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2019-07-24	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-10-29	Expired	Roy(Chip) Denner	(No lab)	Created based on CT521 certificate ID35024
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-10-29	Expired	Roy(Chip) Denner	(No lab)	Created based on CT521 certificate ID35024

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					