

Certificates for Sean Rosenbaum

Basic Information

| | |
|-------------------|-----------|
| First Name | Sean |
| Last Name | Rosenbaum |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|-------------------------------|--------------|---|----------|------------|
| Kleinfelder, Inc.- Ontario | Jeffrey Diaz | 620 South Magnolia Ave., Building G, Ontario, CA 91762 | 8 | Lab 1 |

Test Methods

California Test (CT) Certifications

Total 25 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|------------------------|---------------------|------------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2022-03-01 | Expired | Biplab Bhattacharya | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|---------------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2022-03-01 | Expired | Biplab Bhattacharya | Lab 1 | (No comments) |
| CT 125 GEN Sampling - GENERAL | 2019-03-30 | Expired | Roy(Chip) Denner | Lab 1 | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I) | 2022-03-29 | Expired | Jasdeep Sandhu | Lab 1 | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2022-03-01 | Expired | Biplab Bhattacharya | Lab 1 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2022-03-01 | Expired | Biplab Bhattacharya | Lab 1 | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A) | 2022-03-01 | Expired | Biplab Bhattacharya | Lab 1 | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2022-03-01 | Expired | Biplab Bhattacharya | Lab 1 | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2022-03-01 | Expired | Biplab Bhattacharya | Lab 1 | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2022-03-01 | Expired | Biplab Bhattacharya | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|---------------------|---------------------|---------------|
| CT 227 Cleanness Value (JTCP - S&A) | 2022-03-01 | Expired | Biplab Bhattacharya | Lab 1 | (No comments) |
| CT 229 Durability (JTCP - S&A) | 2022-03-01 | Expired | Biplab Bhattacharya | Lab 1 | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage | 2022-04-27 | Expired | Rabiul Hyder | Lab 1 | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2026-05-14 | Active | Sarbjit Grewal | Lab 1 | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2026-05-14 | Active | Sarbjit Grewal | Lab 1 | (No comments) |
| CT 521 Compressive Strength - PCC | 2022-04-27 | Expired | Rabiul Hyder | Lab 1 | (No comments) |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2022-05-14 | Expired | Sarbjit Grewal | Lab 1 | (No comments) |
| CT 524 Flexural Strength of Rapid Strength - PCC | 2022-04-27 | Expired | Rabiul Hyder | Lab 1 | (No comments) |
| CT 533 Ball Penetration - PCC | 2022-04-27 | Expired | Rabiul Hyder | Lab 1 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2026-05-14 | Active | Sarbjit Grewal | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|----------------|---------------------|---------------|
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2026-05-14 | Active | Sarbjit Grewal | Lab 1 | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2026-05-14 | Active | Sarbjit Grewal | (No lab) | (No comments) |
| CT 552 Relative Compaction of Polymer Concrete | 2022-04-27 | Expired | Rabiul Hyder | Lab 1 | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2026-05-14 | Active | Sarbjit Grewal | Lab 1 | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2026-05-14 | Active | Sarbjit Grewal | Lab 1 | (No comments) |

AASHTO/ASTM Proficiencies

Total 13 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I) | 2022-03-29 | Expired | Jasdeep Sandhu | Lab 1 | (No comments) |
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2022-03-29 | Expired | Jasdeep Sandhu | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| AASHTO R47 Reducing Samples of HMA (JTCP - HMA I) | 2022-03-29 | Expired | Jasdeep Sandhu | Lab 1 | (No comments) |
| AASHTO R76 Reducing Samples of Agg (JTCP - HMA I) | 2022-03-29 | Expired | Jasdeep Sandhu | (No lab) | (No comments) |
| AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II) | 2022-05-02 | Expired | Sarbjit Grewal | Lab 1 | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I) | 2022-03-29 | Expired | Jasdeep Sandhu | Lab 1 | (No comments) |
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II) | 2022-05-02 | Expired | Sarbjit Grewal | (No lab) | (No comments) |
| AASHTO T255 Evaporable Moisture Content (JTCP - HMA I) | 2022-03-29 | Expired | Jasdeep Sandhu | Lab 1 | (No comments) |
| AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II) | 2022-05-02 | Expired | Sarbjit Grewal | Lab 1 | (No comments) |
| AASHTO T275 Bulk SpG - HMA (JTCP - HMA II) | 2022-05-02 | Expired | Sarbjit Grewal | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II) | 2022-05-02 | Expired | Sarbjit Grewal | Lab 1 | (No comments) |
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I) | 2022-03-29 | Expired | Jasdeep Sandhu | (No lab) | (No comments) |
| AASHTO T335 Percentage of Fracture (JTCP - HMA I) | 2022-03-29 | Expired | Jasdeep Sandhu | Lab 1 | (No comments) |

Unofficial Copy