

Certificates for Carley Burford

Basic Information

First Name	Carley
Last Name	Burford
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Hanson Aggregates	Nathen Skwiyhat	131 Suburban Road, San Luis Obispo, CA 93401	5	Lab 1

Test Methods

California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2017-05-25	Expired	Jeff Rush	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2017-05-25	Expired	Jeff Rush	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2017-05-25	Expired	Jeff Rush	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2017-05-25	Expired	Jeff Rush	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2017-05-25	Expired	Jeff Rush	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2017-05-25	Expired	Jeff Rush	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2017-05-25	Expired	Jeff Rush	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					