

Certificates for Daniel Stewart

Basic Information

First Name	Daniel
Last Name	Stewart
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
Garco Testing Laboratories - Salinas	Corina Wong	721 Work Street, Salinas, CA 93901	5	Lab 1
Garco Testing Laboratories - Felton	Hongbin Xie	1800 Felton Quarry Road, Felton, CA 95018	5	Lab 2

Test Methods

California Test (CT) Certifications

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-03-30	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-03-30	Expired	Jeff Rush	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-03-30	Expired	Jeff Rush	Lab 1	(No comments)
CT 211 LA Rattler	2018-03-30	Expired	Jeff Rush	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-02-08	Expired	Jeff Rush	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-03-30	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-03-30	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-03-30	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2018-03-30	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-04-17	Expired	Jeff Rush	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-03-30	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 309 Max SpG and Density - HMA	2018-03-30	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2021-04-17	Expired	Jeff Rush	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-03-30	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2017-03-30	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2017-03-30	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-01-24	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-01-24	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-01-24	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-01-24	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-01-24	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)