

Certificates for Dillon Davis

Basic Information

First Name	Dillon
Last Name	Davis
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Jeff Rush	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-04-16	Expired	Jeff Rush	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-04-16	Expired	Jeff Rush	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Jeff Rush	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-04-23	Expired	Jeff Rush	(No lab)	(No comments)
CT 211 LA Rattler	2020-04-16	Expired	Jeff Rush	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2017-04-23	Expired	Jeff Rush	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2017-04-23	Expired	Jeff Rush	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2020-04-16	Expired	Jeff Rush	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2020-04-16	Expired	Jeff Rush	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-04-16	Expired	Jeff Rush	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-04-16	Expired	Jeff Rush	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2020-04-16	Expired	Jeff Rush	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2017-04-13	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2017-04-13	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2017-04-13	Expired	Jeff Rush	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2017-04-13	Expired	Jeff Rush	(No lab)	(No comments)

Unofficial Copy