

## Certificates for Shane Miller

### Basic Information

<b>First Name</b>	Shane
<b>Last Name</b>	Miller
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 41 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-05-19	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-05-19	Active	Avinash Ralla	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2023-05-18	Expired	Ashley Shaw	(No lab)	Date adjusted to make a three year cert
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-03-08	Expired	Avinash Ralla	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-05-19	Active	Avinash Ralla	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-05-19	Active	Avinash Ralla	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-05-19	Active	Avinash Ralla	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-05-19	Active	Avinash Ralla	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-05-19	Active	Avinash Ralla	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-05-19	Active	Avinash Ralla	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-05-19	Active	Avinash Ralla	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2026-05-19	Active	Gabriela Lopez	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 304 Sample Preparation - HMA	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-03-08	Incomplete	Avinash Ralla	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 366 Stabilometer	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 389 Hamburg Wheel-Track	2023-03-22	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-03-22	Expired	Jeff Rush	(No lab)	Created based on CT521 certificate ID36288
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-03-22	Expired	Jeff Rush	(No lab)	Created based on CT521 certificate ID36288
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-05-18	Expired	Ashley Shaw	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-03-08	Expired	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-03-08	Expired	Avinash Ralla	(No lab)	(No comments)
AASHTO T30 Mechanical Analysis of Extracted Aggregate	2023-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-03-08	Incomplete	Avinash Ralla	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-03-08	Expired	Avinash Ralla	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-04-09	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-03-08	Expired	Avinash Ralla	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-04-09	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-04-06	Incomplete	Avinash Ralla	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-03-08	Expired	Avinash Ralla	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-04-09	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-04-09	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-04-09	Expired	Sarbjit Grewal	(No lab)	(No comments)



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyratory Compactor	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-03-08	Expired	Avinash Ralla	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-03-08	Expired	Avinash Ralla	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2024-03-22	Expired	Ashley Shaw	(No lab)	(No comments)