

Certificates for Michael Boyce

Basic Information

First Name	Michael
Last Name	Boyce
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
San Luis Obispo County	Barron T Smith	1355 Kansas Avenue, San Luis Obispo, CA 93408	5	Lab 1

Test Methods

California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-05-25	Expired	Jeff Rush	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-05-25	Expired	Jeff Rush	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2018-05-25	Expired	Jeff Rush	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-05-25	Expired	Jeff Rush	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-05-25	Expired	Jeff Rush	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-05-25	Expired	Jeff Rush	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-05-25	Expired	Jeff Rush	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					