

Certificates for Anthony Silva

Basic Information

First Name	Anthony
Last Name	Silva
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
FMG- Graniterock	Anthony Silva	Portable Trailer Lab, San Jose, CA 95136	6	Lab 1
Graniterock Aromas	Douglas Lemon	1900 Quarry Road, Aromas, CA 95004	5	Lab 2

Test Methods

California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-03-03	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-03-03	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-12-14	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-03-03	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-03-03	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 204 LL, PL, PI	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-03-03	Active	Avinash Ralla	Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
CT 211 LA Rattler	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-03-03	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-03-03	Active	Avinash Ralla	Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-03-03	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-03-03	Active	Avinash Ralla	Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2026-03-03	Active	Avinash Ralla	Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-03-26	Expired	David Small	Lab 1, Lab 2	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2022-03-26	Expired	David Small	Lab 2	(No comments)
CT 382 AC Content by Ignition Oven	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2019-12-14	Expired	Jeff Rush	Lab 2	(No comments)