

Certificates for Brian Winter

Basic Information

First Name	Brian
Last Name	Winter
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Graniterock Aromas	Douglas Lemon	1900 Quarry Road, Aromas, CA 95004	5	Lab 1

Test Methods

California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Jeff Rush	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jeff Rush	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Jeff Rush	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-12-12	Expired	Jeff Rush	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-12-12	Expired	Jeff Rush	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 366 Stabilometer	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2018-12-12	Expired	Jeff Rush	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 16 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2018-12-16	Expired	Jeff Rush	Lab 1	(No comments)