

Certificates for Mark Struven

Basic Information

First Name	Mark
Last Name	Struven
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Pacific Materials Laboratory	Karl F Buchmiller	35-A South La Patera Lane, Goleta, CA 93116	5	Lab 1

Test Methods

California Test (CT) Certifications

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-06-24	Expired	Jeff Rush	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2018-06-24	Expired	Jeff Rush	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-04-23	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-04-23	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2018-06-24	Expired	Jeff Rush	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-04-23	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-04-23	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-04-23	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-04-23	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-04-23	Expired	Biplab Bhattacharya	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy