

Certificates for Ricky Brooke

Basic Information

First Name	Ricky
Last Name	Brooke
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **13** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-02-20	Expired	Jeff Rush	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-02-20	Expired	Jeff Rush	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-02-07	Expired	Jeff Rush	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-12-16	Expired	Ed Gamboa	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2022-11-30	Expired	Ed Gamboa	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-10-12	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-10-12	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2022-11-30	Expired	Ed Gamboa	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-10-12	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-10-12	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-10-12	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2024-10-12	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-10-12	Active	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					