

## Certificates for David Oliveira

### Basic Information

<b>First Name</b>	David
<b>Last Name</b>	Oliveira
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-02-07	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-02-07	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2023-02-07	Expired	Husam Makhoul	(No lab)	CSP suspension on 06/6/2022 for nonparticipation. Contact CSP@dot.ca.gov for unsuspension directions
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-02-27	Expired	Jasdeep Sandhu	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-02-27	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2020-02-07	Expired	Jeff Rush	(No lab)	Created based on CT521 certificate ID37116
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2020-02-07	Expired	Jeff Rush	(No lab)	Created based on CT521 certificate ID37116
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-02-27	Expired	Jasdeep Sandhu	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-02-27	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-02-27	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-02-27	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-02-27	Expired	Jasdeep Sandhu	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 6 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2020-02-07	Expired	Jeff Rush	(No lab)	(No comments)