

Certificates for Cody Stanfield

Basic Information

| | |
|-------------------|-----------|
| First Name | Cody |
| Last Name | Stanfield |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|----------------------------|--------------|---|----------|------------|
| Control Point Construction | Jerry Green | 2918 Edison Ave., Klamath Falls, OR 97603 | 2 | Lab 1 |

Test Methods

California Test (CT) Certifications

Total 15 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|------------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2023-06-30 | Active | Natalie Rivinius | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|------------------|---------------------|---------------|
| CT 106 Definitions - Specific Gravity (SpG) | 2019-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2018-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS | 2018-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| CT 125 GEN Sampling - GENERAL | 2018-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I) | 2018-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2018-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2018-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| CT 211 LA Rattler | 2019-05-17 | Expired | Bomasur Bazon | Lab 1 | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2018-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|------------------|---------------------|-------------------------|
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2018-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| CT 229 Durability (JTCP - S&A) | 2018-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| CT 375 AC Density by Nuclear Gage | 2018-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| CT 382 AC Content by Ignition Oven | 2019-05-17 | Expired | Bomasur Banzon | Lab 1 | As requested by Natalie |
| CT 384 Combined Grade for HMA using up to 25% RAP | 2018-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |

AASHTO/ASTM Proficiencies

Total 7 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|------------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I) | 2019-05-17 | Expired | Natalie Rivinius | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|------------------|---------------------|---------------|
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2019-05-17 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| AASHTO T96 L.A. Rattler | 2019-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I) | 2019-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| AASHTO T210 Aggregate Durability Index | 2019-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II) | 2019-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I) | 2019-05-16 | Expired | Natalie Rivinius | Lab 1 | (No comments) |