

Certificates for Mike Potridge

Basic Information

First Name	Mike
Last Name	Potridge
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Control Point Construction	Jerry Green	2918 Edison Avenue, Klamath Falls, OR 97603	2	Lab 1

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 211 LA Rattler	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-05-16	Expired	Natalie Rivinius	Lab 1	(No comments)