

Certificates for Tory Gwinn

Basic Information

First Name	Tory
Last Name	Gwinn
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
NV5, Inc.	Dominic J. Potestio	48 Bellarmine Court, Suite 40, Chico, CA 95928	3	Lab 1

Test Methods

California Test (CT) Certifications

Total **28** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2018-05-12	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2023-05-31	Expired	Darrell Valasek	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2026-05-31	Active	Darrell Valasek	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-05-13	Expired	Soroosh Amelian	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2026-05-31	Active	Darrell Valasek	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-05-31	Active	Darrell Valasek	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2018-05-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2018-05-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-05-31	Active	Darrell Valasek	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-05-31	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-06-25	Active	Avinash Ralla	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-06-25	Active	Avinash Ralla	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-06-25	Active	Avinash Ralla	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-06-25	Active	Avinash Ralla	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-06-25	Active	Avinash Ralla	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-06-25	Active	Avinash Ralla	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-06-25	Active	Avinash Ralla	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-06-25	Active	Avinash Ralla	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy