

Certificates for Woongju Mun

Basic Information

First Name	Woongju
Last Name	Mun
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2018-04-14	Expired	Roberto Jarquin	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-04-14	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-04-14	Expired	Roberto Jarquin	(No lab)	Created based on CT521 certificate ID37373
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-04-14	Expired	Roberto Jarquin	(No lab)	Created based on CT521 certificate ID37373

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					