

Certificates for Alfredo Tapia

Basic Information

First Name	Alfredo
Last Name	Tapia
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Ninyo & Moore	Mark Cuthbert	5710 Ruffin Rd., San Diego, CA 92123	11	Lab 1

Test Methods

California Test (CT) Certifications

Total 19 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2018-05-04	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-05-04	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 204 LL, PL, PI	2023-06-17	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 209 SpG for Soil	2023-06-17	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-05-04	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 301 "R" Value	2023-06-17	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2023-06-17	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-06-17	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 366 Stabilometer	2023-06-17	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2023-06-17	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					