

Certificates for Malissa Furin

Basic Information

First Name	Malissa
Last Name	Furin
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA GeoScience, Inc.	Malissa Furin	3897 N. Ann Ave, Fresno, CA 93727	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 19 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-04-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-04-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 301 "R" Value	2020-05-09	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2020-05-09	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-04-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2020-04-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 366 Stabilometer	2020-05-09	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2020-04-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 3 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2021-05-09	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2021-05-09	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2021-05-09	Expired	Jessa Dhaliwal	Lab 1	(No comments)