

Certificates for Ari Khasraw

Basic Information

| | |
|-------------------|---------|
| First Name | Ari |
| Last Name | Khasraw |
| Status | Active |

Associated Labs

| Lab Name | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. | | | | |

Test Methods

California Test (CT) Certifications

Total 24 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2023-06-30 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 106 Definitions - Specific Gravity (SpG) | 2023-06-30 | Expired | Vincent Onoh | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 125 ADMIX Sampling - ADMIXTURE | 2018-08-21 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2019-09-12 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS | 2018-08-21 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 125 CEM Sampling - CEM | 2018-08-21 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 125 GEN Sampling - GENERAL | 2019-09-12 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I) | 2019-09-12 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2023-06-30 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2018-09-29 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2018-11-28 | Expired | Vincent Onoh | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 217 Sand Equivalent (JTCP - S&A) | 2018-09-29 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2018-09-29 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage | 2018-11-28 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 308 Bulk SpG and Density - HMA | 2018-09-18 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 309 Max SpG and Density - HMA | 2018-09-18 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2018-11-08 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2018-11-08 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2018-11-08 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 523.2 Section B.3 Flexural Strength (Lab Test) | 2018-11-08 | Expired | Vincent Onoh | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|----------------|---------------------|---------------|
| CT 524 Flexural Strength of Rapid Strength - PCC | 2018-11-08 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 533 Ball Penetration - PCC | 2018-11-08 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2018-11-08 | Expired | Vincent Onoh | (No lab) | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2018-11-08 | Expired | Vincent Onoh | (No lab) | (No comments) |

AASHTO/ASTM Proficiencies

Total 2 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|---------------------|---------------------|---------------|
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II) | 2021-06-28 | Expired | Biplab Bhattacharya | (No lab) | (No comments) |
| AASHTO T275 Bulk SpG - HMA (JTCP - HMA II) | 2021-06-28 | Expired | Biplab Bhattacharya | (No lab) | (No comments) |