

Certificates for Matthew Barnum

Basic Information

First Name	Matthew
Last Name	Barnum
Status	Active

Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
S2 Engineering, Incorporated	Subramony Krishnamoorthy	27075 Cabot Road, Suite 117, Laguna Hills, CA 91730	12	Lab 1
S2 Engineering	Sagar Pandey	1145 Industrial Avenue, Escondido, CA 90209	11	Lab 2
S2 Engineering, Incorporated	Frank Melo	25104 Rye Canyon Loop, Valencia, CA 91355	7	Lab 3
S2 Engineering, Inc.	Subramony Krishnamoorthy	2411 North Clancy Street, Building 6, Unit-D, Visalia, CA 93291	6	Lab 4

Test Methods

California Test (CT) Certifications

Total **28** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2021-07-16	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-07-16	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 CEM Sampling - CEM	2023-07-13	Expired	Brandt Houchen	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 GEN Sampling - GENERAL	2023-07-13	Expired	Brandt Houchen	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA	2023-07-13	Expired	Brandt Houchen	Lab 1, Lab 3, Lab 4	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 229 Durability (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-08-30	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-09-30	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-09-30	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-08-30	Active	Roy(Chip) Denner	Lab 1, Lab 3, Lab 4	Created based on CT521 certificate ID41749
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-08-30	Active	Roy(Chip) Denner	Lab 1, Lab 3	Created based on CT521 certificate ID41749
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-09-30	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-01-20	Expired	Ashley Shaw	Lab 1, Lab 3, Lab 4	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-08-30	Active	Ashley Shaw	Lab 2, Lab 3, Lab 4	(No comments)
CT 533 Ball Penetration - PCC	2024-08-30	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-09-30	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-09-30	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-09-30	Active	Avinash Ralla	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-09-30	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-09-30	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					