

Certificates for Larry Diaz

Basic Information

First Name	Larry
Last Name	Diaz
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D08 - Fontana Southern Regional Laboratory	Ron Longazo	13970 Victoria Street, Fontana, CA 92336	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-06-05	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-02-14	Expired	Robby Rodriguez	Lab 1	IA 74 - matched with his CT206
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-06-05	Active	Brian Ellis	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-03-01	Active	Brian Ellis	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2025-03-14	Active	Rabiul Hyder	Lab 1	(No comments)
CT 211 LA Rattler	2025-03-14	Active	Rabiul Hyder	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-06-18	Incomplete	Brian Ellis	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-03-01	Active	Brian Ellis	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-03-01	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-03-01	Active	Brian Ellis	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-03-01	Active	Brian Ellis	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-03-01	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-03-01	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-04-06	Incomplete	Brian Ellis	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-03-01	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-03-01	Suspended	Brian Ellis	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-03-01	Active	Brian Ellis	Lab 1	(No comments)