

Certificates for Cole Madden

Basic Information

| | |
|-------------------|--------|
| First Name | Cole |
| Last Name | Madden |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|---------------------|----------------|--|----------|------------|
| NV5-Holdrege & Kull | Michelle Holub | 792 Searls Ave., Nevada City, CA 95959 | 3 | Lab 1 |

Test Methods

California Test (CT) Certifications

Total 7 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|----------------|---------------------|---------------|
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |
| CT 229 Durability (JTCP - S&A) | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |
| CT 309 Max SpG and Density - HMA | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |

AASHTO/ASTM Proficiencies

Total 7 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I) | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |
| AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II) | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I) | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II) | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |
| AASHTO T210 Aggregate Durability Index | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I) | 2018-05-17 | Expired | Jackie Treat | Lab 1 | (No comments) |