

Certificates for Justin Glenn

Basic Information

First Name	Justin
Last Name	Glenn
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Teichert Quality Assurance	Chris Fuchs	8609 Jackson Rd. Building 101, Sacramento, CA 95826	3	Lab 1
Teichert Martis Valley	Chris Fuchs	13879 Joerger Rd., Truckee, CA 96161	3	Lab 2
Teichert - Spanish Springs	Pete Conlin	12435 Pyramid Lake Highway, Sparks, NV 89436	3	Lab 3

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 CEM Sampling - CEM	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 GEN Sampling - GENERAL	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)

AASHTO/ASTM Proficiencies

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 3	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T210 Aggregate Durability Index	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 3	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-02-08	Expired	Jackie Treat	Lab 1, Lab 3	(No comments)