

Certificates for Douglas Thompson

Basic Information

First Name	Douglas
Last Name	Thompson
Status	Active

Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Triangle Rock Products - Vulcan	Cameron Richardson	11501 Florin Road, Sacramento, California 95830	3	Lab 1
Vulcan Lab	Cameron Richardson	9800 Del Rd., Roseville, CA 95747	3	Lab 2
Vulcan Materials Company - Cache Creek Asphalt	Cameron Richardson	30288 HWY16, Madison, CA 95653	3	Lab 3
Vulcan Materials Company - Sacramento Regional Lab	Cameron Richardson	631 Commerce Dr Suite 100, Roseville, CA 95678	3	Lab 4

Test Methods

California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-09-14	Expired	Richard Hibbard	Lab 2, Lab 3, Lab 4	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2018-06-13	Expired	Jackie Treat	Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-06-13	Expired	Jackie Treat	Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2018-06-13	Expired	Jackie Treat	Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2018-06-13	Expired	Jackie Treat	Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-06-13	Expired	Richard Hibbard	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 2, Lab 4	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 2, Lab 3	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 2, Lab 3	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-03-12	Active	Dalton LaBoskey	Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 2, Lab 3	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-03-12	Active	Dalton LaBoskey	Lab 2, Lab 3	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 2, Lab 3	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-03-12	Active	Dalton LaBoskey	Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-03-12	Active	Dalton LaBoskey	Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-03-12	Active	Dalton LaBoskey	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 2	(No comments)

Unofficial Copy