

## Certificates for Brandon Voges

### Basic Information

<b>First Name</b>	Brandon
<b>Last Name</b>	Voges
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
ACE Quality Control	Nicholas Lee	1050 Melody Lane, Suite 160, Roseville, CA 95678	3	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-02-09	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2023-05-11	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-04-20	Expired	Jackie Treat	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-04-20	Expired	Jackie Treat	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2018-04-20	Expired	Jackie Treat	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-04-20	Expired	Jackie Treat	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-04-20	Expired	Jackie Treat	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2018-04-20	Expired	Jackie Treat	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-04-20	Expired	Jackie Treat	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-04-20	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-04-20	Expired	Jackie Treat	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-04-20	Expired	Jackie Treat	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-04-20	Expired	Jackie Treat	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					