

## Certificates for Kris Renaud

### Basic Information

|                   |        |
|-------------------|--------|
| <b>First Name</b> | Kris   |
| <b>Last Name</b>  | Renaud |
| <b>Status</b>     | Active |

### Associated Labs

| Lab Name          | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. |                      |              |                  |            |

### Test Methods

#### California Test (CT) Certifications

Total 12 items.

| Test Method   | Expiration Date | Status  | IA Responsible   | Within Lab(s) Scope | Comments         |
|---|-----------------|---------|------------------|---------------------|------------------|
| CT 105 Calculations -<br>Gradings (JTCP - HMA I<br>/ S&A) | 2023-06-30      | Expired | Natalie Rivinius | (No lab)            | (No<br>comments) |
| CT 106 Definitions -<br>Specific Gravity (SpG)            | 2023-06-30      | Expired | Natalie Rivinius | (No lab)            | (No<br>comments) |

| Test Method  | Expiration Date | Status  | IA Responsible   | Within Lab(s) Scope | Comments      |
|--|-----------------|---------|------------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)    | 2018-03-16      | Expired | Natalie Rivinius | (No lab)            | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS                         | 2018-03-16      | Expired | Natalie Rivinius | (No lab)            | (No comments) |
| CT 125 GEN Sampling - GENERAL                            | 2018-03-16      | Expired | Natalie Rivinius | (No lab)            | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I)                 | 2018-03-16      | Expired | Natalie Rivinius | (No lab)            | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2018-03-13      | Expired | Natalie Rivinius | (No lab)            | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC)                    | 2018-03-13      | Expired | Natalie Rivinius | (No lab)            | (No comments) |
| CT 533 Ball Penetration - PCC                            | 2018-03-13      | Expired | Natalie Rivinius | (No lab)            | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC)              | 2018-03-13      | Expired | Natalie Rivinius | (No lab)            | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC)                          | 2018-03-13      | Expired | Natalie Rivinius | (No lab)            | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC)                    | 2018-03-13      | Expired | Natalie Rivinius | (No lab)            | (No comments) |

## AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s)<br>Scope | Comments |
|-------------------|-----------------|--------|----------------|------------------------|----------|
| No results found. |                 |        |                |                        |          |

Unofficial Copy