

## Certificates for Derrick Curry

### Basic Information

<b>First Name</b>	Derrick
<b>Last Name</b>	Curry
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
CGI Technical Services, Inc.	Tanner Jones	1612 Insight Place, Redding, CA 96003	2	Lab 1
CGI Technical Services J.F. Shea Fawndale	Cliff Curry	15381 Fawndale Road, Redding, CA 96003	2	Lab 2

### Test Methods

#### California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-04-22	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-04-27	Active	Loren Lee	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-04-22	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES	2023-04-27	Active	Loren Lee	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-04-27	Active	Loren Lee	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2023-04-27	Active	Loren Lee	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA	2023-04-27	Active	Loren Lee	Lab 1	(No comments)
CT 211 LA Rattler	2023-04-27	Active	Loren Lee	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-04-27	Active	Loren Lee	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-04-27	Active	Loren Lee	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2023-04-27	Active	Loren Lee	Lab 1, Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2023-04-27	Active	Loren Lee	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)