

## Certificates for Mike McGrale

### Basic Information

<b>First Name</b>	Mike
<b>Last Name</b>	McGrale
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Sierra Geotechnical Services	Dean Dougherty	169 Willow Street, Bishop, CA 93514	9	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 19 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-05-31	Expired	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-05-31	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-08-01	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-08-01	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-05-31	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-08-01	Active	Ashley Shaw	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-08-01	Expired	Ashley Shaw	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2022-04-06	Expired	Ashley Shaw	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2022-04-06	Expired	Ashley Shaw	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2023-08-01	Expired	Ashley Shaw	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2022-04-06	Expired	Ashley Shaw	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-05-31	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-05-31	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-05-31	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-05-31	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-05-31	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-05-31	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-05-31	Expired	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-05-31	Expired	Shaya Meisamifard	Lab 1	(No comments)

Unofficial Copy