

Certificates for Marco Estudillo

Basic Information

First Name	Marco
Last Name	Estudillo
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Vulcan	Rob Piceno	10051 Black Mountain Rd., San Diego, CA 92126	11	Lab 1

Test Methods

California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-03-01	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2019-08-31	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-03-01	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2021-09-12	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-03-01	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-03-01	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-03-01	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-09-12	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-09-12	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2021-09-12	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2021-09-12	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-03-01	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-03-01	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-03-01	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-03-01	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-03-01	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2019-08-24	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-08-24	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2019-08-24	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 366 Stabilometer	2019-08-24	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 367 OBC	2019-08-24	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 368 OBC of OGAC	2019-08-24	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2019-08-24	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2019-08-24	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2019-08-24	Expired	Roy(Chip) Denner	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2021-09-12	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2021-09-12	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2021-09-12	Expired	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-03-21	Expired	Jasdeep Sandhu	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-03-21	Expired	Jasdeep Sandhu	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2021-09-12	Expired	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-03-21	Expired	Jasdeep Sandhu	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-03-21	Expired	Jasdeep Sandhu	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2021-09-12	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-03-21	Expired	Jasdeep Sandhu	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2021-09-12	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2021-09-12	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2021-09-12	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Unofficial Copy