

Certificates for Gary Lambeth

Basic Information

First Name	Gary
Last Name	Lambeth
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D01 - Construction Consultants		, , CA	1	Lab 1

Test Methods

California Test (CT) Certifications

Total 30 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Manpreet Singh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Loren Lee	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-01-31	Expired	Manpreet Singh	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-01-31	Expired	Manpreet Singh	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2020-01-31	Expired	Manpreet Singh	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2020-01-31	Expired	Manpreet Singh	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2020-01-31	Expired	Manpreet Singh	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-02-04	Expired	Loren Lee	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-02-04	Expired	Loren Lee	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2018-02-04	Expired	Loren Lee	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)
CT 541 Flow Cone	2018-09-05	Expired	Loren Lee	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2020-01-30	Expired	Manpreet Singh	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-02-03	Expired	Loren Lee	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-02-03	Expired	Loren Lee	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-02-03	Expired	Loren Lee	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-02-03	Expired	Loren Lee	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-02-03	Expired	Loren Lee	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-02-03	Expired	Loren Lee	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-02-03	Expired	Loren Lee	(No lab)	(No comments)

Unofficial Copy