

## Certificates for Gordon Fowlston

### Basic Information

<b>First Name</b>	Gordon
<b>Last Name</b>	Fowlston
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
County of Sacramento	Au Williams	9665 Agriculture Lane, Sacramento, CA 95827	3	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 16 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2025-04-04	Active	Ram Sah	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2025-04-04	Active	Ram Sah	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2025-04-04	Active	Ram Sah	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-04-04	Active	Ram Sah	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-02-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-02-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-02-15	Expired	Ignocencio Herrera	(No lab)	Created based on CT521 certificate ID39635
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2026-04-04	Active	Ram Sah	(No lab)	Created based on CT521 certificate ID39635
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-02-26	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2023-06-29	Expired	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-02-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-02-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 541 Flow Cone	2026-04-04	Active	Ram Sah	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-02-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-02-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-02-26	Active	Sarbjit Grewal	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					