

Certificates for Jerald Ervin

Basic Information

First Name	Jerald
Last Name	Ervin
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	David Jones	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Pedro Reyes	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2018-10-26	Expired	David Jones	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-10-26	Expired	David Jones	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Pedro Reyes	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-12-19	Expired	David Jones	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-12-19	Expired	David Jones	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-12-18	Expired	David Jones	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2018-12-19	Expired	David Jones	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-12-19	Expired	David Jones	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-12-18	Expired	David Jones	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2018-10-26	Expired	David Jones	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 1 item.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-12-19	Expired	David Jones	(No lab)	(No comments)