

## Certificates for Jerald Ervin

### Basic Information

<b>First Name</b>	Jerald
<b>Last Name</b>	Ervin
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	David Jones	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Pedro Reyes	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2018-10-26	Expired	David Jones	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-10-26	Expired	David Jones	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Pedro Reyes	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-12-19	Expired	David Jones	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-12-19	Expired	David Jones	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-12-18	Expired	David Jones	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2018-12-19	Expired	David Jones	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-12-19	Expired	David Jones	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-12-18	Expired	David Jones	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2018-10-26	Expired	David Jones	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 1 item.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-12-19	Expired	David Jones	(No lab)	(No comments)