

Certificates for David Hylkema

Basic Information

| | |
|-------------------|---------|
| First Name | David |
| Last Name | Hylkema |
| Status | Active |

Associated Labs

Total 2 items.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|---|--------------|--|----------|------------|
| Riverside, County of | Elmer Datuin | 2950 Washington Street, Riverside, CA 92780 | 8 | Lab 1 |
| Riverside County, Satellite Laboratory | Elmer Datuin | 86199 Airport Boulevard, Thermal, CA 92274 | 8 | Lab 2 |

Test Methods

California Test (CT) Certifications

Total 1 item.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------|-----------------|--------|----------------|---------------------|----------|
| | | | | | |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|----------------------------|-----------------|---------|-----------------|---------------------|---------------|
| CT 547 Bridge Profilograph | 2019-10-23 | Expired | Robby Rodriguez | Lab 1 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |

Unofficial Copy