

Certificates for Jessica Sheffield

Basic Information

First Name	Jessica
Last Name	Sheffield
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Teichert Quality Assurance	Chris Fuchs	8609 Jackson Road, Building 101, Sacramento, CA 95826	3	Lab 1
Teichert Materials - Vernalis	Trenton Crouse	36314 South Bird Road, Tracy, CA 95304	10	Lab 2

Test Methods

California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-11-19	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2018-10-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-11-19	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2018-10-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-10-10	Expired	Richard Hibbard	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-10-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-10-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-10-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2021-04-13	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 212 Unit Weight of Aggregates	2018-10-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-10-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-10-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-10-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2018-10-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 304 Sample Preparation - HMA	2021-05-06	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-04-20	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 309 Max SpG and Density - HMA	2020-04-30	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 366 Stabilometer	2021-05-05	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 370 Moisture Content by Microwave	2021-05-05	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 382 AC Content by Ignition Oven	2021-03-06	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2018-10-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2018-10-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T96 L.A. Rattler	2021-04-13	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-12-02	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-12-02	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T210 Aggregate Durability Index	2018-10-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-12-02	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-12-02	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2021-04-22	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-12-02	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T312 Gyratory Compactor	2021-04-23	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T324 Hamburg Wheel-Track	2021-04-24	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)