

Certificates for Stephen James

Basic Information

First Name	Stephen
Last Name	James
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **31** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2020-03-13	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2020-03-13	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-03-13	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-02-27	Expired	Loren Lee	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-03-17	Expired	Loren Lee	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-03-17	Expired	Loren Lee	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2018-03-17	Expired	Loren Lee	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2021-02-27	Expired	Loren Lee	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-03-17	Expired	Loren Lee	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-01-31	Active	Jackie Treat	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-01-31	Active	Jackie Treat	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-02-27	Expired	Darla Ghidinelli	(No lab)	Created based on CT521 certificate ID40255
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-02-27	Expired	Darla Ghidinelli	(No lab)	Created based on CT521 certificate ID40255
CT 533 Ball Penetration - PCC	2020-03-13	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-01-31	Active	Jackie Treat	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-01-31	Active	Jackie Treat	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-01-31	Active	Jackie Treat	(No lab)	(No comments)
CT 547 Bridge Profilograph	2021-02-27	Expired	Loren Lee	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2025-01-31	Active	Jackie Treat	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-01-31	Active	Jackie Treat	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **14** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-02-07	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-02-07	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-02-07	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-02-07	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-02-07	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)