

Certificates for Steven Armstrong

Basic Information

First Name	Steven
Last Name	Armstrong
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D06 - Bakersfield Field Laboratory	Kulwinder Rai	1824 Norris Road, Bakersfield, CA 93308	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-02-20	Expired	Pedro Reyes	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 BIT Sampling - BITUMINOUS	2021-02-20	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2021-02-20	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2021-02-20	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-02-20	Expired	Pedro Reyes	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					