

Certificates for Gordon Hilton

Basic Information

First Name	Gordon
Last Name	Hilton
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-11-28	Expired	Pedro Reyes	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-11-28	Expired	Pedro Reyes	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-11-28	Expired	Pedro Reyes	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-08-29	Expired	Pedro Reyes	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-08-28	Expired	Pedro Reyes	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-08-28	Expired	Pedro Reyes	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2018-08-28	Expired	Pedro Reyes	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-08-29	Expired	Pedro Reyes	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					