

Certificates for Darryl Melodias

Basic Information

First Name	Darryl
Last Name	Melodias
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **23** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Seree Yenjai	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-03-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-03-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-03-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-03-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2019-04-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-04-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2019-04-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2019-04-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-04-12	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2019-03-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-04-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-10-17	Expired	Seree Yenjai	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-04-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-06-07	Expired	Seree Yenjai	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-06-07	Expired	Seree Yenjai	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2019-06-07	Expired	Seree Yenjai	(No lab)	Created based on CT521 certificate ID40627
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2019-06-07	Expired	Seree Yenjai	(No lab)	Created based on CT521 certificate ID40627
CT 533 Ball Penetration - PCC	2019-06-07	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-06-07	Expired	Seree Yenjai	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-06-07	Expired	Seree Yenjai	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-06-07	Expired	Seree Yenjai	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					