

Certificates for Sergio Villanueva

Basic Information

First Name	Sergio
Last Name	Villanueva
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Sierra Material Testing & Inspection	Alex Rojas	1003 Industry Way, Suite A, El Centro, CA 92243	11	Lab 1

Test Methods

California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-11-27	Expired	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 CEM Sampling - CEM	2020-11-27	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-11-27	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-11-27	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-11-17	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-11-17	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-11-27	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2019-11-27	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-06-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-06-01	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-06-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-06-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-06-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-06-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-06-01	Expired	Richard Hibbard	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					