

Certificates for Mark Weiler

Basic Information

First Name	Mark
Last Name	Weiler
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-10-05	Expired	Victor Antido	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-10-05	Expired	Victor Antido	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-10-12	Expired	Victor Antido	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-10-05	Expired	Victor Antido	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-10-05	Expired	Victor Antido	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					