

## Certificates for Jose Navarro

### Basic Information

<b>First Name</b>	Jose
<b>Last Name</b>	Navarro
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Twining Laboratories of Southern California	Corey Rhodes	3310 Airport Way, Long Beach, CA 90806	7	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 16 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Chad Claxton	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2018-12-20	Expired	Chad Claxton	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2022-09-22	Expired	Brandt Houchen	Lab 1	(No comments)
CT 366 Stabilometer	2022-09-22	Expired	Brandt Houchen	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2020-09-13	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2022-09-22	Expired	Brandt Houchen	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-10-22	Active	Gabriela Lopez	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-10-22	Active	Gabriela Lopez	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-09-22	Expired	Chad Claxton	Lab 1	Created based on CT521 certificate ID42044
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-09-22	Expired	Chad Claxton	Lab 1	Created based on CT521 certificate ID42044

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-10-22	Active	Gabriela Lopez	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-10-22	Active	Gabriela Lopez	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-10-22	Active	Gabriela Lopez	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-10-22	Active	Gabriela Lopez	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-10-22	Active	Gabriela Lopez	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-10-22	Active	Gabriela Lopez	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					