

Certificates for Danny Camplese

Basic Information

First Name	Danny
Last Name	Camplese
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-04-30	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-02-22	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2020-04-30	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-04-30	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2024-02-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-02-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2024-02-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-11-11	Expired	Richard Hibbard	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-11-11	Expired	Richard Hibbard	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-11-11	Expired	Richard Hibbard	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-11-11	Expired	Richard Hibbard	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-11-11	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2022-11-11	Expired	Richard Hibbard	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-11-11	Expired	Richard Hibbard	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					