

## Certificates for Louis Wayadande

### Basic Information

<b>First Name</b>	Louis
<b>Last Name</b>	Wayadande
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Visalia Field Lab	Shoaib Ahmed	8530 W. Roosevelt Ave, Visalia, CA 93291	6	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-01-26	Active	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-01-26	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2019-11-02	Expired	Pedro Reyes	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-01-26	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-01-26	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-01-26	Active	Biplab Bhattacharya	(No lab)	(No comments)
CT 547 Bridge Profilograph	2021-10-21	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-01-26	Active	Biplab Bhattacharya	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-01-26	Active	Biplab Bhattacharya	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					



Unofficial Copy