

## Certificates for Sonny Barajas

### Basic Information

<b>First Name</b>	Sonny
<b>Last Name</b>	Barajas
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Trinity Engineering	Mark Horn	3109 North Miami Avenue, Fresno, CA 93727	6	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2022-03-12	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-03-12	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-03-22	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-03-22	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2025-03-22	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2024-01-03	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-03-12	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-03-22	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-03-19	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-01-17	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-03-31	Expired	Ed Gamboa	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-03-31	Expired	Ed Gamboa	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-01-17	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-01-19	Active	Allen Oliver	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-03-31	Expired	Ed Gamboa	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2020-03-31	Expired	Ed Gamboa	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2026-01-19	Active	Allen Oliver	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-12-11	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-12-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-12-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-12-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-12-11	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-12-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-12-11	Active	Sarbjit Grewal	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					